

- Moffatt KC, 391
Moyes AB, 659
Murphy SD, 584
- Naeth MA, 594, 602
Naveh Z, 228
Nordstrom KF, 215
Nuttle T, 580
- Page HN, 651
Pakeman RJ, 718
Panko B, 429
Paschke MW, 545, 725
Perry LG, 725
Peterson S, 223
Petty JT, 348
Pezeshki SR, 1
Piazza BP, 499
Platt WJ, 429
Poirrier MA, 623
Pokorny ML, 448
Polley HW, 480
Potthoff M, 61
Purdy BG, 667
Putz FE, 536
Pyke DA, 292
- Radford BC, 685
Ramirez I, 61
Rayfield B, 639
Redente EF, 545
Redi BH, 284
Reed DJ, 152, 174
Reever Morghan KJ, 524
Reid NB, 594, 602
Renison D, 129
Rhoades CC, 616
Rice KJ, 432, 524
Richardson CJ, 515
- Rickman TH, 373
Rissler PH, 247
Rochefort L, 74
Rodewald AD, 334
Roelofs JGM, 302
Rolston DE, 61
Ruiz-Jaen MC, 569
- Sado Y, 373
Schlorff RW, 391
Schoenholtz SH, 471
Schreiber SJ, 529
Scoppettone GG, 247
Selbo SM, 441
Sharpe WE, 108
Shaw NL, 8
Shebitz DJ, 257
Sheley RL, 448
Shields FD Jr, 1
Shu WS, 49
Simmons MT, 609
Singh B, 29
Sleeman JC, 685
Small JL, 718
Snow AA, 441
Sobral A, 129
Steenwerth KL, 61
Steichen RM, 120
Stevens M, 235
Stromberg MR, 61
Suarez R, 129
Summerville KS, 120
Svejcar TJ, 448
Swart JAA, 183
- Tate KW, 373
Teal JM, 223
Temperton VM, 580
Thom RM, 193
- Thompson A, 425
Thorne D, 348
Tibbett M, 83
Tix D, 20
Topper K, 545
Tripathi KP, 29
Turner RE, 152, 165
- van Aarde RJ, 284
Van Damme S, 204
van den Berg LJJ, 302
Van den Bergh E, 204
van der Windt HJ, 183
van Dyke F, 426
Van Zandt PA, 312
Varner JM III, 536
Vazquez A, 373
Vivanco JM, 725
- Wassenaar TD, 284
Weinstein MP, 152, 174
Wetzel PR, 318
Williams GW, 193
Williams HM, 471
Wilsey BJ, 480
Wilson MV, 562
Witter MS, 659
Wong BSF, 138
Wong MH, 49
- Ye ZH, 49
- Zabinski CA, 448
Zahawi RA, 92
Zanini L, 507
Zhang ZQ, 49
Zimmerman CL, 460

Subject Index

Volume 13

Acacia sp.

Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695

Acid grassland

Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83

Acid precipitation

An ecologically based approach to identifying restoration priorities in an acid-impacted watershed (Petty and Thorne), 348

Adaptive phenotypic plasticity

The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710

Agropyron desertorum

Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292

Allelochemical resistance

Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725

Allelopathy

Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725

Alliaria petiolata

Concurrent management of an exotic species and initial restoration efforts in forests (Murphy), 584

Alloway Creek

Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the inva-

sive plant *Phragmites australis* (Gratton and Denno), 358

Aluminum

Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83

Amendments

Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594

Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602

Andropogon gerardii

Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441

Angophora sp.

Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695

Annual grassland

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Anthoxanthum nitens

Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257

Appalachian streams

An ecologically based approach to identifying restoration priorities in an acid-impacted watershed (Petty and Thorne), 348

Arid

Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15

Arrested succession

Incorporating restoration in sustainable forestry management: using pine-bark mulch to improve native species establishment on tephra deposits (Blanco-García and Lindig-Cisneros), 703

Artemisia californica

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Artemisia tridentata

Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292

Long-term effects of biosolids on revegetation of disturbed sagebrush steppe in northwestern Colorado (Paschke et al), 545

Arthropod community structure

Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358

Ash Meadows

Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppettone et al), 247

Aspen

Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373

Asulox

Recovery of moorland vegetation after aerial spraying of bracken (*Pteridium aquilinum* (L.) Kuhn) with asulam (Pakeman et al), 718

Auto- and cross-catalytic networks

Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228

Autopoiesis

Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228

Bamboo

Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616

Bank Swallow

Importance of hydrologic and landscape heterogeneity for restoring Bank Swallow (*Riparia riparia*) colonies along the Sacramento River, California (Moffatt et al), 391

Bareroot

Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471

Basal area

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Basketry

Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257

Bayesian analysis

Ecological restoration and large-scale ecological disturbance: the effects of drought on the response by fish to a habitat restoration experiment (Bond and Lake), 39

Beach nourishment

Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215

Big bluestem

Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441

Biodiversity

Restoring lepidopteran communities to oak savannas: contrast-

ing influences of habitat quantity and quality (Summer-ville et al), 120

Bio-manipulation

Implications of food web interactions for restoration of Missouri Ozark glade habitats (Van Zandt et al), 312

Biomass

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Biosphere landscapes

Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228

Bird seed dispersal

Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507

Birds

Avian use of restoration plantings along a creek linking rainforest patches on the Atherton Tablelands, North Queensland (Jansen), 275

Blue lupine

Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycaeides melissa samuelis*) habitat (Forrester et al), 488

Bluebunch wheatgrass

Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651

Bog

Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74

Book reviews

Assembly Rules and Restoration Ecology: Bridging the Gap Between Theory and Practice, by

Temperton et al (Edwards), 580-581

Conservation Biology: Foundations, Concepts, Applications, by Van Dyke and *A Workbook in Conservation Biology: Solving Practical Problems in Conservation* (With Contributing Authors) (Boorse), 426-427

The Ecology and Management of Wood in World Rivers, by Gregory et al (Earsom), 736-737

Floating Islands: A Global Bibliography (with an Edition and Translation of G. C. Munz's *Exertacio academica de insulis natintibus* (1711)), by van Duzer (Margóczy) 738-739

Great Basin Riparian Ecosystems: Ecology, Management, and Restoration, edited by Chambers and Miller (Auble), 237-238

The Historical Ecology Handbook: A Restorationist's Guide to Reference Ecosystems, by Egan and Howell (Stevens), 235-236

Rehabilitation and Restoration of Degraded Forests, by Lamb and Gilmour (Chauhan), 578-579

Wetland Restoration Handbook for Wisconsin Landowners, 2nd Edition, by Thompson and Luthin (Carpenter), 425

Boreal forest

Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667

Brassica nigra

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Brazil subtropical forest

Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507

Bromus diandrus

Restoration of native perennials in a California annual grassland

- after prescribed spring burning and solarization (Moyes et al), 659
- Brook trout**
An ecologically based approach to identifying restoration priorities in an acid-impacted watershed (Petty and Thorne), 348
- Bryophyte**
Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74
- Buffer zone**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Bunchgrass mortality**
Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651
- Burning**
Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460
Fire and litter effects on seedling establishment in western Oregon upland prairies (Maret and Wilson), 562
- Bursera**
Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92
- Bushland restoration**
Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695
- Calcium**
Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302
- Calluna vulgaris**
Recovery of moorland vegetation after aerial spraying of bracken (*Pteridium aquilinum* (L.) Kuhn) with asulam (Pakeman et al), 718
- Canebrake**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Carbon retention**
Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61
- Carnivorous plant**
Dionaea muscipula (Venus flytrap) establishment, release, and response of associated species in mowed patches on the rims of Carolina bays (Luken), 678
The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710
- Carolina bay**
Dionaea muscipula (Venus flytrap) establishment, release, and response of associated species in mowed patches on the rims of Carolina bays (Luken), 678
- Catchment liming**
Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302
- Cattle enclosure**
Effect of grazing on restoration of endemic dwarf pine (*Pinus culminicola* Andresen et Beaman) populations in northeastern Mexico (Jiménez et al), 103
- Cenchrus ciliaris**
Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380
- Centaurea maculosa**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725
- Centaurea solstitialis**
Centaurea solstitialis invasion success is influenced by *Nassella pulchra* size (Morghan and Rice), 524
- Chemical inhibition**
Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725
- Chronosequence**
Recovery of moorland vegetation after aerial spraying of bracken (*Pteridium aquilinum* (L.) Kuhn) with asulam (Pakeman et al), 718
- Clay turbidity**
Clay-turbid interactions may not cascade—a reminder for lake managers (Horppila and Liljendahl-Nurminen), 242
- Climate**
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
- Clonal growth**
Spatial distribution of *Spartina pectinata* transplants to restore wet prairie (Fraser and Kindscher), 144
- Clumping**
Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15
- CO₂ emissions**
Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61
- Coastal dune forests**
Coastal dune forest development and the regeneration of millipede communities (Redi et al), 284
- Coastal landforms**
Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215
- Colonization limitation**
Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480

Community ecology

Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667

Competition

Concurrent management of an exotic species and initial restoration efforts in forests (Murphy), 584

Bullying the bullies: the selective control of an exotic, invasive annual (*Rapistrum rugosum*) by oversowing with a competitive native species (*Gaillardia pulchella*) (Simmons), 609

The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710

Complexity

Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639

Conceptions of sustainability

Visions of nature and environmental sustainability: shellfish harvesting in the Dutch Wadden Sea (Swart and van der Windt), 183

Conifer ingrowth

Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651

Connectivity

Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summer-ville et al), 120

Conservation planning

Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460

Conservation Reserve Program

Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441

Container

Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471

Conventional harvest practices

Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373

Corridor

Avian use of restoration plantings along a creek linking rainforest patches on the Atherton Tablelands, North Queensland (Jansen), 275

Cost-benefit analysis

An ecologically based approach to identifying restoration priorities in an acid-impacted watershed (Petty and Thorne), 348

Cover crops

Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257

Crassostrea virginica

The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499

Cyprinodon nevadensis

Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppetone et al), 247

Degraded rangelands

Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292

Denitrification enzyme activity

Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515

Diamond mine

Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594

Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602

Disturbance

Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summer-ville et al), 120

Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639

Diversity

Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20

Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569

Diversity indices

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Docks

Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193

Dredge and fill

Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215

Dual mandate

Sustainable coastal development: the dual mandate and a recommendation for "commerce managed areas" (Weinstein and Reed), 174

Early successional processes

Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507

Ecological monitoring

Beach nourishment and coastal habitats: research needs to

- improve compatibility (Nordstrom), 215
- Ecological processes**
Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569
- Ecological rehabilitation**
Ecological rehabilitation of the Schelde estuary (The Netherlands-Belgium; northwest Europe): linking ecology, safety against floods, and accessibility for port development (Van den Bergh et al), 204
- Ecological restoration**
The two-culture problem: ecological restoration and the integration of knowledge (Higgs), 159
Restoring fire to long-unburned *Pinus palustris* ecosystems: novel fire effects and consequences for long-unburned ecosystems (Varner et al), 536
- Ecosystem attributes**
Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569
- Ecosystem management**
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
- Ecosystems**
On sustainability, estuaries, and ecosystem restoration: the art of the practical (Baird), 154
- Ecotype**
"How local is local?"—a review of practical and conceptual issues in the genetics of restoration (McKay et al), 432
- Edge effects**
Concurrent management of an exotic species and initial restoration efforts in forests (Murphy), 584
- Edge of Appalachia**
Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460
- Eelgrass**
Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193
- Effectiveness monitoring**
Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373
- El Niño**
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
- Endangered species**
The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710
- Endemic**
Capsule treatments to enhance seedling emergence of *Gaura neomexicana* ssp. *coloradensis* (Burgess et al), 8
- ENSO**
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
- Erosion control**
Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1
- Estuaries**
On sustainability, estuaries, and ecosystem restoration: the art of the practical (Baird), 154
- Exotic shrubs**
Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334
- Facilitation**
Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15
Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507
- Filter strip**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Fire**
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659
- Fire suppression**
Restoring fire to long-unburned *Pinus palustris* ecosystems: novel fire effects and consequences for long-unburned ecosystems (Varner et al), 536
The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710
- Fire-dependent ecosystems**
The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710
- Fish**
The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499
- Flooding**
Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471
- Floodplain forest**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Flower visitation**
The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
- Flowering phenology**
Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441
- Food web management**
Clay-turbid interactions may not cascade—a reminder for lake

- managers (Horppila and Liljendahl-Nurminen), 242
- Forest community**
The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29
- Forest fragmentation**
Concurrent management of an exotic species and initial restoration efforts in forests (Murphy), 584
- Forest restoration**
Effects of tree guards and weed mats on the establishment of native tree seedlings: implications for forest restoration in Hong Kong, China (Lai and Wong), 138
Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334
- Functional group diversity**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Functional groups**
Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480
- Fusarium**
Effects of mycorrhizae and non-target organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment (Allen et al), 325
- Gaillardia pulchella**
Bullying the bullies: the selective control of an exotic, invasive annual (*Rapistrum rugosum*) by oversowing with a competitive native species (*Gaillardia pulchella*) (Simmons), 609
- Gene flow**
Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441
- Genetic diversity**
Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441
- Geostatistics**
Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403
- Germination**
Capsule treatments to enhance seedling emergence of *Gaura neomexicana* ssp. *coloradensis* (Burgess et al), 8
- Giant cane**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Gliricidia**
Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92
- Glyphosate**
Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695
- Grass competition**
Effects of unseeded areas on species richness of coal mines reclaimed with municipal biosolids (Halofsky and McCormick), 630
- Grassland**
Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380
Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403
Soil heterogeneity effects on tallgrass prairie community heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413
Fire and litter effects on seedling establishment in western Oregon upland prairies (Maret and Wilson), 562
- Grassland restoration**
Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61
Centaurea solstitialis invasion success is influenced by *Nassella pulchra* size (Morghan and Rice), 524
Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651
- Grasslands**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Grazing**
Effect of grazing on restoration of endemic dwarf pine (*Pinus culminicola* Andresen et Beaman) populations in northeastern Mexico (Jiménez et al), 103
- Habitat manipulation**
Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppetone et al), 247
- Habitat restoration**
Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215
Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358
Replacing sources with sinks: when do populations go down the drain? (Keagy et al), 529
- Habitat structure**
Ecological restoration and large-scale ecological disturbance: the effects of drought on the response by fish to a habitat restoration experiment (Bond and Lake), 39
- Hawaii**
Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380

Heathland

Are sulfurous soil amendments (S^0 , $Fe^{III}SO_4$, $Fe^{III}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83

Heathlands

Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302

Heavy metal

Natural colonization of plants on five lead/zinc mine tailings in southern China (Shu et al), 49

Herbicide

The interaction between science and policy in the control of *Phragmites* in oligohaline marshes of Delaware Bay (Teal and Peterson), 223

Recovery of moorland vegetation after aerial spraying of bracken (*Pteridium aquilinum* (L.) Kuhn) with asulam (Pakeman et al), 718

Herbivory

Effects of mycorrhizae and non-target organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment (Allen et al), 325

Heteropogon contortus

Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380

Hierochloa odorata

Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257

Honeysuckle

Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334

Hong Kong

Effects of tree guards and weed mats on the establishment of

native tree seedlings: implications for forest restoration in Hong Kong, China (Lai and Wong), 138

Hydrologic regime

Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341

Hydrology

Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515

Importance value index

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Inoculation

Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471

Inorganic nitrogen

Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515

Integrated management

Ecological rehabilitation of the Schelde estuary (The Netherlands-Belgium; northwest Europe): linking ecology, safety against floods, and accessibility for port development (Van den Bergh et al), 204

Invasion

Centaurea solstitialis invasion success is influenced by *Nassella pulchra* size (Morgan and Rice), 524

Invasion biology

Invading monotypic stands of *Phalaris arundinacea*: a test of fire, herbicide, and woody and herbaceous native plant groups (Foster and Wetzel), 318

Invasion resistance

Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448

Invasive

Bullying the bullies: the selective control of an exotic, invasive annual (*Rapistrum rugosum*) by oversowing with a competitive native species (*Gaillardia pulchella*) (Simmons), 609

Invasive grasses

Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380

Invasive plants

Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358

Invertebrate predators

Clay-turbid interactions may not cascade—a reminder for lake managers (Horppila and Liljen-dahl-Nurminen), 242

Iowa

Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summer-ville et al), 120

Iroquois

Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257

K- and r-selected

Using agent-based models to aid reef restoration: enhancing coral cover and topographic complexity through the spatial arrangement of coral transplants (Sleeman et al), 685

Kansas

Spatial distribution of *Spartina pectinata* transplants to restore wet prairie (Fraser and Kindscher), 144

Karner blue butterfly

Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycia melissa samuelis*) habitat (Forrester et al), 488

La Niña

A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429

Lake eutrophication

Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341

Lake Pontchartrain

A model to estimate potential submersed aquatic vegetation habitat based on studies in Lake Pontchartrain, Louisiana (Cho and Poirrier), 623

Land use

Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334

Landscape

Importance of hydrologic and landscape heterogeneity for restoring Bank Swallow (*Riparia riparia*) colonies along the Sacramento River, California (Moffatt et al), 391

Landscape rehabilitation

Effects of sowing treatment and landscape position on establishment of the perennial Tussock grass *Themeda triandra* (Poaceae) in degraded *Eucalyptus* woodlands in southeastern Australia (Cole et al), 552

Lassen National Forest, California

Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373

Legume

Incorporating restoration in sustainable forestry management: using pine-bark mulch to improve native species establishment on tephra deposits (Blanco-García and Lindig-Cisneros), 703

Lespedeza capitata

Aboveground biomass removal by burning and raking increases diversity in a recon-

structed prairie (Tix and Charvat), 20

Life history strategies

Using agent-based models to aid reef restoration: enhancing coral cover and topographic complexity through the spatial arrangement of coral transplants (Sleeman et al), 685

Limestone prairies

Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460

Limestone sand

The effects of doubling limestone sand applications in two acidic southwestern Pennsylvania streams (Keener and Sharpe), 108

Litter

Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20

Fire and litter effects on seedling establishment in western Oregon upland prairies (Maret and Wilson), 562

Living fences

Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92

Local adaptation

"How local is local?"—a review of practical and conceptual issues in the genetics of restoration (McKay et al), 432

Local genotypes

Flowering phenology and genetic similarity among local and recently introduced populations of *Andropogon gerardii* in Ohio (Selbo and Snow), 441

Lomandra sp.

Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695

Longleaf pine

Restoring fire to long-unburned *Pinus palustris* ecosystems:

novel fire effects and consequences for long-unburned ecosystems (Varner et al), 536

Lonicera

Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334

Louisiana

The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499

Lupinus perennis

Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycaeides melissa samuelis*) habitat (Forrester et al), 488

Macroinvertebrates

The effects of doubling limestone sand applications in two acidic southwestern Pennsylvania streams (Keener and Sharpe), 108

Marine commerce managed areas

Sustainable coastal development: the dual mandate and a recommendation for "commerce managed areas" (Weinstein and Reed), 174

Metapopulation

Importance of hydrologic and landscape heterogeneity for restoring Bank Swallow (*Riparia riparia*) colonies along the Sacramento River, California (Moffatt et al), 391

Microbial biomass carbon

Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515

Microsite strategy

Natural colonization of plants on five lead/zinc mine tailings in southern China (Shu et al), 49

Microsite variation

The restoration of degraded mountain woodlands: effects of

- seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129
- Microtopography**
Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515
- Millipedes**
Coastal dune forest development and the regeneration of millipede communities (Redi et al), 284
- Mine spoil**
Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15
- Mire**
Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74
- Mojave Desert**
Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppetone et al), 247
- Monitoring**
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
- Moorland pools**
Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302
- Moths**
Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summerville et al), 120
- Mountain woodlands**
The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129
- Mowing**
Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20
Dionaea muscipula (Venus flytrap) establishment, release, and response of associated species in mowed patches on the rims of Carolina bays (Luken), 678
- Mulching**
Incorporating restoration in sustainable forestry management: using pine-bark mulch to improve native species establishment on tephra deposits (Blanco-García and Lindig-Cisneros), 703
- Multiattribute analysis**
Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460
- Multivariate**
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
- Mycorrhizae**
Effects of mycorrhizae and non-target organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment (Allen et al), 325
Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471
- Nassella pulchra**
Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61
Centaurea solstitialis invasion success is influenced by *Nassella pulchra* size (Morgan and Rice), 524
Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659
- Native and introduced grass species**
Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292
- Native grasses**
Effects of sowing treatment and landscape position on establishment of the perennial Tussock grass *Themeda triandra* (Poaceae) in degraded *Eucalyptus* woodlands in southeastern Australia (Cole et al), 552
Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594
- Native species**
Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602
Bullying the bullies: the selective control of an exotic, invasive annual (*Rapistrum rugosum*) by oversowing with a competitive native species (*Gaillardia pulchella*) (Simmons), 609
- Nearshore**
Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193
- Net ecosystem improvement**
Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193
- Niche partitioning**
Patterns of plant species diversity in remnant and restored tall-grass prairies (Polley et al), 480
- Non-native fish control**
Habitat restoration as a means of controlling non-native fish in

- a Mojave Desert oasis (Scoppetone et al), 247
- Northwest Europe**
Ecological rehabilitation of the Schelde estuary (The Netherlands-Belgium; northwest Europe): linking ecology, safety against floods, and accessibility for port development (Van den Bergh et al), 204
- Nursing plant**
Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74
- Nutrient competition**
Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507
- Nutrient concentration**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Nutrient uptake**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Ohio**
Planning for restoration: a decision analysis approach to prioritization (Cipollini et al), 460
- Oil sands**
Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667
- Oil shale reclamation**
Long-term effects of biosolids on revegetation of disturbed sagebrush steppe in northwestern Colorado (Paschke et al), 545
- Olsen P**
Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83
- Ordination**
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
- Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667
- Oregon**
Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341
Fire and litter effects on seedling establishment in western Oregon upland prairies (Maret and Wilson), 562
- Organic and inorganic fertilizer**
Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Outbreeding depression**
"How local is local?"—a review of practical and conceptual issues in the genetics of restoration (McKay et al), 432
- Oyster reefs**
The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499
- Panicum virgatum***
Soil heterogeneity effects on tall-grass prairie community heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413
- Philosophy**
The two-culture problem: ecological restoration and the integration of knowledge (Higgs), 159
- Phosphate**
Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83
- Phosphorus**
Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341
- Phragmites***
The interaction between science and policy in the control of *Phragmites* in oligohaline marshes of Delaware Bay (Teal and Peterson), 223
Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358
- Pine barrens**
Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycæides melissa samuelis*) habitat (Forrester et al), 488
- Pine savannas**
The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710
- Pinegrass**
Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651
- Pinus culminicola***
Effect of grazing on restoration of endemic dwarf pine (*Pinus culminicola* Andresen et Beaman) populations in northeastern Mexico (Jiménez et al), 103
- Plant disease**
Effects of mycorrhizae and non-target organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment (Allen et al), 325
- Plant functional groups**
Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Plant-pollinator interactions**
The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
- Planting season**
Effect of planting season, bunchgrass species, and neighbor

- control on the success of transplants for grassland restoration (Page and Bork), 651
- Pollen transport**
The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
- Pollination**
The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
- Polylepis australis***
The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129
- Populus tremuloides***
Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373
- Potential SAV habitat**
A model to estimate potential submersed aquatic vegetation habitat based on studies in Lake Pontchartrain, Louisiana (Cho and Poirrier), 623
- Power line corridor**
Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycæides melissa samuelis*) habitat (Forrester et al), 488
- Prairie restoration**
Patterns of plant species diversity in remnant and restored tall-grass prairies (Polley et al), 480
- Prescribed burning**
Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20
- Prescribed fire**
Restoring fire to long-unburned *Pinus palustris* ecosystems: novel fire effects and consequences for long-unburned ecosystems (Varner et al), 536
- Principal components analysis**
Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summerville et al), 120
- Priority effects**
Experimental restoration of an indigenous Hawaiian grassland after invasion by Buffel grass (*Cenchrus ciliaris*) (Daehler and Goergen), 380
- Pseudoroegneria spicata***
Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292
- Public concern**
The interaction between science and policy in the control of *Phragmites* in oligohaline marshes of Delaware Bay (Teal and Peterson), 223
- Rainforest**
Avian use of restoration plantings along a creek linking rainforest patches on the Atherton Tablelands, North Queensland (Jansen), 275
- Rapistrum rugosum***
Bullying the bullies: the selective control of an exotic, invasive annual (*Rapistrum rugosum*) by oversowing with a competitive native species (*Gaillardia pulchella*) (Simmons), 609
- Rare**
Capsule treatments to enhance seedling emergence of *Gaura neomexicana* ssp. *coloradensis* (Burgess et al), 8
- Rare plants**
Dionaea muscipula (Venus flytrap) establishment, release, and response of associated species in mowed patches on the rims of Carolina bays (Luken), 678
- Reclamation**
Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594
Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602
Effects of unseeded areas on species richness of coal mines reclaimed with municipal biosolids (Halofsky and McCormick), 630
Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667
- Red List plant species**
Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302
- Reef modeling**
Using agent-based models to aid reef restoration: enhancing coral cover and topographic complexity through the spatial arrangement of coral transplants (Sleeman et al), 685
- Reference system**
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
- Reforestation**
Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92
The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129
- Regeneration**
Coastal dune forest development and the regeneration of millipede communities (Redi et al), 284
- Rehabilitation**
Effect of grazing on restoration of endemic dwarf pine (*Pinus culminicola* Andresen et Beaman) populations in northeastern Mexico (Jiménez et al), 103

- Coastal dune forest development and the regeneration of millipede communities (Redi et al), 284
- Remnant trees**
Establishment and growth of living fence species: an over-looked tool for the restoration of degraded areas in the tropics (Zahawi), 92
- Replication**
Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569
- Reserve design**
Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334
- Resource management**
On sustainability, estuaries, and ecosystem restoration: the art of the practical (Baird), 154
- Restoration**
Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74
Establishment and growth of living fence species: an over-looked tool for the restoration of degraded areas in the tropics (Zahawi), 92
On sustainability, estuaries, and ecosystem restoration: the art of the practical (Baird), 154
On the cusp of restoration: science and society (Turner), 165
Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193
Avian use of restoration plantings along a creek linking rainforest patches on the Atherton Tablelands, North Queensland (Jansen), 275
Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292
Catchment liming to restore degraded, acidified heathlands and moorland pools (Dorland et al), 302
Removal of encroaching conifers to regenerate degraded aspen stands in the Sierra Nevada (Jones et al), 373
Importance of hydrologic and landscape heterogeneity for restoring Bank Swallow (*Riparia riparia*) colonies along the Sacramento River, California (Moffatt et al), 391
Soil heterogeneity effects on tallgrass prairie community heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413
A climate-based approach to the restoration of fire-dependent ecosystems (Beckage et al), 429
"How local is local?"—a review of practical and conceptual issues in the genetics of restoration (McKay et al), 432
The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499
Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515
Assessing simple versus complex restoration strategies for industrially disturbed forests (Rayfield et al), 639
Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659
- Restoration ecology**
Restoring lepidopteran communities to oak savannas: contrasting influences of habitat quantity and quality (Summer-ville et al), 120
- The two-culture problem: ecological restoration and the integration of knowledge (Higgs), 159
The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403
Replacing sources with sinks: when do populations go down the drain? (Keagy et al), 529
- Restoration priorities**
An ecologically based approach to identifying restoration priorities in an acid-impacted watershed (Petty and Thorne), 348
- Restoration success**
Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569
- Revegetation**
Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594
Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602
- Rhinichthys osculus nevadensis***
Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppetone et al), 247
- Rhizome strategy**
Natural colonization of plants on five lead/zinc mine tailings in southern China (Shu et al), 49
- Richness**
Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20
- Rights-of-way**
Maintaining critical habitat in a heavily managed landscape: effects of power line corridor management on Karner blue butterfly (*Lycaeides melissa samuelis*) habitat (Forrester et al), 488

Riparian

Capsule treatments to enhance seedling emergence of *Gaura neomexicana* ssp. *coloradensis* (Burgess et al), 8

Avian use of restoration plantings along a creek linking rainforest patches on the Atherton Tablelands, North Queensland (Jansen), 275

Importance of hydrologic and landscape heterogeneity for restoring Bank Swallow (*Riparia riparia*) colonies along the Sacramento River, California (Moffatt et al), 391

Riparian restoration

Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1

Role of science

The two-culture problem: ecological restoration and the integration of knowledge (Higgs), 159

Root biomass

Invading monotypic stands of *Phalaris arundinacea*: a test of fire, herbicide, and woody and herbaceous native plant groups (Foster and Wetzel), 318

Root elongation

Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725

Rudbeckia hirta

Aboveground biomass removal by burning and raking increases diversity in a reconstructed prairie (Tix and Charvat), 20

Rumex acetosella

Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83

Salinity

Naturally saline boreal communities as models for reclamation of saline oil sand tailings (Purdy et al), 667

Salix nigra

Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1

Salt marsh

The interaction between science and policy in the control of *Phragmites* in oligohaline marshes of Delaware Bay (Teal and Peterson), 223

Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358

Sand slugs

Ecological restoration and large-scale ecological disturbance: the effects of drought on the response by fish to a habitat restoration experiment (Bond and Lake), 39

Sanguinaria canadensis

Concurrent management of an exotic species and initial restoration efforts in forests (Murphy), 584

Sarracenia

The lack of favorable responses of an endangered pitcher plant to habitat restoration (Brewer), 710

Sceloporus undulatus

Implications of food web interactions for restoration of Missouri Ozark glade habitats (Van Zandt et al), 312

Schelde estuary

Ecological rehabilitation of the Schelde estuary (The Netherlands-Belgium; northwest Europe): linking ecology, safety against floods, and accessibility for port development (Van den Bergh et al), 204

Science

On the cusp of restoration: science and society (Turner), 165

Sediment characteristics

Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215

Sedimentation

Ecological restoration and large-scale ecological disturbance: the effects of drought on the response by fish to a habitat restoration experiment (Bond and Lake), 39

Seed bank

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Seed predation

Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507

Seed provenance

The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129

Seed size

Screening of grassland plants for restoration after Spotted knapweed invasion (Perry et al), 725

Seed zones

"How local is local?"—a review of practical and conceptual issues in the genetics of restoration (McKay et al), 432

Seedling

Effect of grazing on restoration of endemic dwarf pine (*Pinus culminicola* Andresen et Beaman) populations in northeastern Mexico (Jiménez et al), 103

Effects of flooding regime and seedling treatment on early survival and growth of Nuttall oak (Burkett et al), 471

Fire and litter effects on seedling establishment in western Oregon upland prairies (Maret and Wilson), 562

Seedling establishment

Restoration of *Araucaria* forest: the role of perches, pioneer vegetation, and soil fertility (Zanini and Ganade), 507

Seedling growth

The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129

Seedling survival

The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129

Self-organizing systems

Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228

Shellfish fishery

Visions of nature and environmental sustainability: shellfish harvesting in the Dutch Wadden Sea (Swart and van der Windt), 183

Shoot and root interference

Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292

Shoot biomass

Invading monotypic stands of *Phalaris arundinacea*: a test of fire, herbicide, and woody and herbaceous native plant groups (Foster and Wetzel), 318

Shoreline protection

The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana (Piazza et al), 499

Shrub habit

The restoration of degraded mountain woodlands: effects of seed provenance and microsite characteristics on *Polylepis australis* seedling survival and growth in central Argentina (Renison et al), 129

Shrubland

Long-term effects of biosolids on revegetation of disturbed sage-

brush steppe in northwestern Colorado (Paschke et al), 545

Smoldering duff combustion

Restoring fire to long-unburned *Pinus palustris* ecosystems: novel fire effects and consequences for long-unburned ecosystems (Varner et al), 536

Soaking

Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1

Society

On the cusp of restoration: science and society (Turner), 165

Sodic soil

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Soil amelioration

The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29

Soil amendment

Long-term effects of biosolids on revegetation of disturbed sagebrush steppe in northwestern Colorado (Paschke et al), 545

Soil carbon

Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403

Soil fertility

Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61

Soil heterogeneity

Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403

Soil heterogeneity effects on tall-grass prairie community heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413

Soil inorganic nitrogen

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Soil microbial biomass

Soil biological and chemical properties in restored perennial grassland in California (Potthoff et al), 61

Soil moisture

Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1

Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659

Soil nitrogen

Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403

Soil nutrients

Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594

Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602

Soil organic matter

Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403

Soil pH

Are sulfurous soil amendments (S^0 , $Fe^{(II)}SO_4$, $Fe^{(III)}SO_4$) an effective tool in the restoration of heathland and acidic grassland after four decades of rock phosphate fertilization? (Tibbett and Diaz), 83

Soil properties

Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in

- a restored wetland (Bruland and Richardson), 515
- Soil structure**
 Establishment of a vegetation cover on tundra kimberlite mine tailings: 1. A greenhouse study (Reid and Naeth), 594
 Establishment of a vegetation cover on tundra kimberlite mine tailings: 2. A field study (Reid and Naeth), 602
- Soils**
 Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341
- Solarization**
 Restoration of native perennials in a California annual grassland after prescribed spring burning and solarization (Moyes et al), 659
- Source-sink dynamics**
 Replacing sources with sinks: when do populations go down the drain? (Keagy et al), 529
- Spartina***
 The interaction between science and policy in the control of *Phragmites* in oligohaline marshes of Delaware Bay (Teal and Peterson), 223
 Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358
- Species diversity**
 Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480
- Species evenness**
 Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480
- Species richness**
 The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29
 Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480
- Effects of unseeded areas on species richness of coal mines reclaimed with municipal biosolids (Halofsky and McCormick), 630
- Spoil disposal**
 Beach nourishment and coastal habitats: research needs to improve compatibility (Nordstrom), 215
- Spotted knapweed**
 Plant functional group diversity as a mechanism for invasion resistance (Pokorny et al), 448
- Spreading needlegrass**
 Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651
- Stratification**
 Capsule treatments to enhance seedling emergence of *Gaura neomexicana* ssp. *coloradensis* (Burgess et al), 8
- Stream acidification**
 The effects of doubling limestone sand applications in two acidic southwestern Pennsylvania streams (Keener and Sharpe), 108
- Stream remediation**
 The effects of doubling limestone sand applications in two acidic southwestern Pennsylvania streams (Keener and Sharpe), 108
- Streambank stabilization**
 Responses of nondormant black willow (*Salix nigra*) cuttings to preplanting soaking and soil moisture (Pezeshki et al), 1
- Structural versus functional diversity**
 The restoration of plant-pollinator interactions in hay meadows (Forup and Memmott), 265
- Submersed aquatic vegetation**
 A model to estimate potential submersed aquatic vegetation habitat based on studies in Lake Pontchartrain, Louisiana (Cho and Poirrier), 623
- Substrate stability**
Polytrichum strictum as a solution to frost heaving in disturbed ecosystems: a case study with milled peatlands (Groeneveld and Rochefort), 74
- Succession**
 Coastal dune forest development and the regeneration of millipede communities (Redi et al), 284
- Succulent Karoo**
 Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15
- Survival**
 Establishing native grasses in a Big sagebrush-dominated site: an intermediate restoration step (Huber-Sannwald and Pyke), 292
- Survival curves**
 Incorporating restoration in sustainable forestry management: using pine-bark mulch to improve native species establishment on tephra deposits (Blanco-García and Lindig-Cisneros), 703
- Sustainability**
 Balancing the need to develop coastal areas with the desire for an ecologically functioning coastal environment: is net ecosystem improvement possible? (Thom et al), 193
- Sustainability revolution**
 Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228
- Sustainability science**
 Sustainable coastal development: the dual mandate and a recommendation for "commerce managed areas" (Weinstein and Reed), 174
- Sweetgrass**
 Reestablishing roots of a Mohawk community and a culturally significant plant: Sweetgrass (Shebitz and Kimmerer), 257
- Switchgrass**
 Soil heterogeneity effects on tallgrass prairie community

- heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413
- Tallgrass prairie**
 Diminishing spatial heterogeneity in soil organic matter across a prairie restoration chronosequence (Lane and BassiriRad), 403
 Soil heterogeneity effects on tallgrass prairie community heterogeneity: an application of ecological theory to restoration ecology (Baer et al), 413
 Patterns of plant species diversity in remnant and restored tallgrass prairies (Polley et al), 480
- Technosphere landscapes**
 Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228
- Tephra deposits**
 Incorporating restoration in sustainable forestry management: using pine-bark mulch to improve native species establishment on tephra deposits (Blanco-García and Lindig-Cisneros), 703
- Themeda* sp.**
 Residual effects of glyphosate herbicide in ecological restoration (Cornish and Burgin), 695
- Thermo springs**
 Habitat restoration as a means of controlling non-native fish in a Mojave Desert oasis (Scoppetone et al), 247
- Tillers**
 Effect of planting season, bunchgrass species, and neighbor control on the success of transplants for grassland restoration (Page and Bork), 651
- Tolerance strategy**
 Natural colonization of plants on five lead/zinc mine tailings in southern China (Shu et al), 49
- Top-down regulation**
 Clay-turbid interactions may not cascade—a reminder for lake managers (Horppila and Liljen-dahl-Nurminen), 242
- Topographic complexity**
 Using agent-based models to aid reef restoration: enhancing coral cover and topographic complexity through the spatial arrangement of coral transplants (Sleeman et al), 685
- Transdisciplinarity**
 Toward a transdisciplinary science of ecological and cultural landscape restoration (Naveh), 228
- Translocation**
 Effects of multispecies clumping on survival of three succulent plant species translocated onto mine spoil in the Succulent Karoo desert, South Africa (Blignaut and Milton), 15
- Transplanting**
 Spatial distribution of *Spartina pectinata* transplants to restore wet prairie (Fraser and Kindscher), 144
- Tree establishment**
 Effects of tree guards and weed mats on the establishment of native tree seedlings: implications for forest restoration in Hong Kong, China (Lai and Wong), 138
- Tree guard**
 Effects of tree guards and weed mats on the establishment of native tree seedlings: implications for forest restoration in Hong Kong, China (Lai and Wong), 138
- Trophic cascade**
 Implications of food web interactions for restoration of Missouri Ozark glade habitats (Van Zandt et al), 312
- Trophic structure**
 Restoration of arthropod assemblages in a *Spartina* salt marsh following removal of the invasive plant *Phragmites australis* (Gratton and Denno), 358
- Tropical pastures**
 Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92
- Tropical seasonal forest**
 Effects of mycorrhizae and non-target organisms on restoration of a seasonal tropical forest in Quintana Roo, Mexico: factors limiting tree establishment (Allen et al), 325
- Understorey restoration**
 Effects of sowing treatment and landscape position on establishment of the perennial Tussock grass *Themeda triandra* (Poaceae) in degraded *Eucalyptus* woodlands in southeastern Australia (Cole et al), 552
- Upper Klamath Basin**
 Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341
- Urbanization**
 Forest restoration in urbanizing landscapes: interactions between land uses and exotic shrubs (Borgmann and Rodewald), 334
- Vegetation**
 Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515
- Vegetation management**
 Recovery of moorland vegetation after aerial spraying of bracken (*Pteridium aquilinum* (L.) Kuhn) with asulam (Pakeman et al), 718
- Vegetation strata**
 The role of revegetation for rehabilitation of sodic soils in semi-arid subtropical forest, India (Tripathi and Singh), 29
- Vegetation structure**
 Restoration success: how is it being measured? (Ruiz-Jaen and Aide), 569
- Vegetative propagation**
 Establishment and growth of living fence species: an overlooked tool for the restoration of degraded areas in the tropics (Zahawi), 92
- Venus flytrap**
Dionaea muscipula (Venus flytrap) establishment, release, and

- response of associated species in mowed patches on the rims of Carolina bays (Luken), 678
- Visions of nature**
 - Visions of nature and environmental sustainability: shellfish harvesting in the Dutch Wadden Sea (Swart and van der Windt), 183
- Wadden Sea**
 - Visions of nature and environmental sustainability: shellfish harvesting in the Dutch Wadden Sea (Swart and van der Windt), 183
- Waste recycling**
 - Effects of unseeded areas on species richness of coal mines reclaimed with municipal biosolids (Halofsky and McCormick), 630
- Wasteland**
 - Natural colonization of plants on five lead/zinc mine tailings in southern China (Shu et al), 49
- Water table**
 - Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515
- Weed control**
 - Invading monotypic stands of *Phalaris arundinacea*: a test of fire, herbicide, and woody and herbaceous native plant groups (Foster and Wetzel), 318
- Wetland**
 - Hydrologic, edaphic, and vegetative responses to microtopographic reestablishment in a restored wetland (Bruland and Richardson), 515
- Wetland mitigation**
 - Replacing sources with sinks: when do populations go down the drain? (Keagy et al), 529
- Wetland restoration**
 - Spatial distribution of *Spartina pectinata* transplants to restore wet prairie (Fraser and Kindscher), 144
 - Hydrologic regime controls soil phosphorus fluxes in restoration and undisturbed wetlands (Aldous et al), 341
- Wetlands**
 - Invading monotypic stands of *Phalaris arundinacea*: a test of fire, herbicide, and woody and herbaceous native plant groups (Foster and Wetzel), 318
- Wildlife populations**
 - Replacing sources with sinks: when do populations go down the drain? (Keagy et al), 529
- Wood chip mulch**
 - Establishment of the woody grass *Arundinaria gigantea* for riparian restoration (Dattilo and Rhoades), 616
- Woodland conservation**
 - Effects of sowing treatment and landscape position on establishment of the perennial Tussock grass *Themeda triandra* (Poaceae) in degraded *Eucalyptus* woodlands in southeastern Australia (Cole et al), 552

